

# CHIMP

AXPRO HARDWARE AND MACHINERY SDN BHD



**JET100/200**



**QB60S**



**2MCP160/160**



**MHF5AM/6A**



**CPM158/200**



**STP50**



**CSP400**



**QT60-370A**

**CHIMP**



MANUAL

**V250/450/750(M/A)**



AUTO



**V1500/2200**

# CHIMP

## JET-100L WATER PUMP



Q max:	50 l/min
H max:	40 m
Hz:	50
Suct.Hmax:	9 m
Size:	1" x 1"
V:	240 ~
kW:	0.75
HP:	1.0
In:	4.0 A
IP:	X4
C:	16 uF
VL:	450 V
ICL:	B
1 ~ MOT	2850 Min-1

# CHIMP

## JET-200L WATER PUMP



Q max:	70 l/min
H max:	55 m
Hz:	50
Suct.Hmax:	9 m
Size:	1 1/4" x 1"
V:	240 ~
kW:	1.5
HP:	2.0
In:	8.0 A
IP:	X4
C:	40 uF
VL:	450 V
ICL:	B
1 ~ MOT	2850 Min-1

# CHIMP

## QB60S WATER PUMP



Q max:	25 l/min
H max:	23 m
Hz:	50
Suct.Hmax:	8 m
Size:	1" x 1"
V:	240 ~
kW:	0.37
HP:	0.5
In:	1.6 A
IP:	X4
C:	8 uF
VL:	450 V
ICL:	B
1 ~ MOT	2850 Min-1

# CHIMP

## 2MCP160/160 WATER PUMP



Q max:	110 l/min
H max:	48 m
Hz:	50
Suct.Hmax:	9 m
Size:	1 1/4" x 1"
V:	240 / 415
kW:	1.5
HP:	2.0

# CHIMP

## MHF5AM WATER PUMP



Q max:	450 l/min
H max:	18 m
Hz:	50
Suct.Hmax:	8 m
Size:	2" x 2"
V:	240 / 415
kW:	1.5
HP:	2.0

# CHIMP

## MHF6A WATER PUMP



Q max:	750 l/min
H max:	12 m
Hz:	50
Suct.Hmax:	8 m
Size:	3" x 3"
V:	240 / 415
kW:	2.2
HP:	3.0

# CHIMP

## STP-50 WATER PUMP



Q max:	60 l/min
H max:	45 m
Hz:	50
Suct.Hmax:	8 m
Size:	1" x 1"
V:	240 ~
kW:	0.75
HP:	1.0
In:	4.5 A
IP:	X4
C:	20 uF
VL:	450 V
ICL:	B
1 ~ MOT	2850 Min-1

# CHIMP

## CPM158 WATER PUMP



Q max:	120 l/min
H max:	28 m
Hz:	50
Suct.Hmax:	9 m
Size:	1" x 1"
V:	240 / 415
kW:	0.75
HP:	1.0

# CHIMP

## CPM200 WATER PUMP



Q max:	140 l/min
H max:	38 m
Hz:	50
Suct.Hmax:	9 m
Size:	1" x 1"
V:	240 / 415
kW:	1.5
HP:	2.0

# CHIMP

## QT60-370 WATER PUMP



Q max:	30 l/min
H max:	26 m
Hz:	50
Suct.Hmax:	8 m
Size:	1" x 1"
V:	240 ~
kW:	0.37
HP:	0.5
In:	1.8 A
IP:	X4
C:	8 uF
VL:	450 V
ICL:	B
1 ~ MOT	2850 Min-1

# CHIMP

## CSP400 SUBMERSIBLE PUMP



Rated Power:	400 w
Max.Pump Rate:	7.3 m/h
Max.Height:	7.5 m
Max Depth:	7 m
Max.Grain Size:	5 mm
Dia.of Pipe:	1"1-1/2

## V250/450/750 (MANUAL/AUTO)



	V250	V450	V750
Power(kW):	0.25	0.45	0.75
Voltage(V):	240	240	240
In(A):	1.8	4.2	5.2
Max Head(M):	6	11	13
Max Flow(L/min):	150	290	310
Rated Head(M):	3	7	7
Rated Flow(L/min):	70	150	200
Speed(R/min):	2850	2850	2850
Frequency(Hz):	50	50	50
Size(Inch):	1 1/2"	2"	2"

## V1500/2200 SUBMERSIBLE PUMP



	V1500	V2200
Power(kW):	1.5	2.2
Voltage(V):	240	240
In(A):	9.5	13.7
Max Head(M):	14	16
Max Flow(L/min):	450	700
Rated Head(M):	10	9
Rated Flow(L/min):	250	500
Speed(R/min):	2850	2850
Frequency(Hz):	50	50
Size(Inch):	2"	3"